

संख्या/No.13012/3/2020-Expl
भारतसरकार
वाणिज्यऔरउद्योगमंत्रालय
(उद्योगसंवर्धनऔरआंतरिकव्यापारविभाग)
उद्योगभवन,नईदिल्ली-110011
GOVERNMENT OF INDIA
MINISTRY OF COMMERCE AND INDUSTRY
(DEPTT. FOR PROMOTION OF INDUSTRY AND INTERNAL TRADE)
UDYOG BHAWAN, NEW DELHI-110011
Dated: 26th March, 2020

To

Sh. M. K. Jhala.
Jt. Chief Controller of Explosives (HOD)
Petroleum & Explosives Safety Organization
"A" Block, 5th Floor, CGO complex
Seminary Hills, Nagpur-440006

Sub: Extension of compliance of the timelines in the wake of the COVID-19 pandemic – reg.

I am directed to refer to PESO's letter no. D-18019/Comp/Implementation dated 25.03.2020 regarding the above subject and to convey the approval of competent authority for relaxation of compliance of the timelines as under:

S. No	Rules	Specific Rules	Approval
1.	Explosives Rules, 2008	(i) Rules 112 (1): Renewal of license (ii) Rule 112 (6): Renewal of license after the date of expiry and submission of late fees equivalent to 1 year license fee	(i) Extension of validity from 31/03/2020 to 30/09/2020 (ii) Exemption from submission of 1 year late fee for applications submitted up to 30/09/2020
2.	Gas Cylinders Rules, 2016	Rule 35 : Periodicity of examination and	Cylinders due for testing as on 31/03/2020 shall be

		testing of cylinders	deemed to be due for testing as on 30/06/2020
3.	SMPV (U) Rules, 2016	<p>(i) Rule 55: Renewal of license</p> <p>(ii) Rule 18 : Certificate issued after testing of safety valves of pressure vessel</p> <p>(iii) Rule 19: Certificate issued after hydro testing of pressure vessel</p>	<p>(i) Extension of validity of license Form LS-2 expiring on 31/03/2020 up to 30/06/2020.</p> <p>(ii)& (iii) The Safety Release Valve (SRV) and hydro test of pressure vessel due for testing between 15/03/2020 to 30/06/2020 shall be extended up to 30/06/2020</p>

Yours faithfully,

(Sundeep Chauhan)
Development Officer
Ph: 011-23061204 Ext:3200

Copy To:

1. PPS to SIIT
2. AS
3. All JSs